



## Author Index

- Bañao, J.L., see Pomata, P.E. (120) 83
- Barbosa, M., see Villalobos, J. (120) 99
- Barker, J.L., see Liu, Q.-Y. (120) 223
- Barr, G.A., see Wiedenmayer, C.P. (120) 191
- Bezin, L., see Groc, L. (120) 95
- Bishara, O., see Thomas, A.J. (120) 181
- Boylan, C.B., Kesterson, K.L., Crnko-Hoppenjans, T.A., Ke, M., Rizk, T., Mooney, R.D. and Rhoades, R.W.  
The cortical vibrissae representation is normal in transgenic mice lacking the 5-HT<sub>1B</sub> receptor (120) 91
- Brusco, A., see Ríos, H. (120) 17
- Brzezinski, M.R., see Trofimova-Griffin, M.E. (120) 7
- Cadet, N. and Paquin, J.  
Conversion and storage of somatostatin are established before response to secretagogue stimuli in P19 neurons (120) 211
- Cernuda-Cernuda, R., see Llamosas, M.M. (120) 1
- Charli, J.-L., see Niquet, J. (120) 49
- Cherry, S.R., see Moore, A.H. (120) 141
- Chou, D.K.H., see Zhao, Z. (120) 165
- Colman-Lerner, A.A., see Pomata, P.E. (120) 83
- Cork, R.J., see Wu, H.H. (120) 105
- Coulombe, M., see Liu, Q.-Y. (120) 223
- Crnko-Hoppenjans, T.A., see Boylan, C.B. (120) 91
- Dumm, J., see Liu, Q.-Y. (120) 223
- Eliyayev, Y., see Gilad, V.H. (120) 255
- Emsberger, P., see Thomas, A.J. (120) 181
- Erokuw, B.O., see Thomas, A.J. (120) 181
- Eto, K., see Fukuda, T. (120) 65
- Fernández-Ruiz, J., see Pérez-Rosado, A. (120) 77
- Fiszman, M.L., see Pomata, P.E. (120) 83
- Fleming, D.E., see Lund, T.D. (120) 261
- Fosser, N.S., see Ríos, H. (120) 17
- Foster, J.A., see Groc, L. (120) 95
- Fox, E.A.  
The previously identified r3/r5 repressor may require the cooperation of additional negative elements for rhombomere restriction of *HOXA1* (120) 151
- Fukuda, T., Kawano, H., Osumi, N., Eto, K. and Kawamura, K.  
Histogenesis of the cerebral cortex in rat fetuses with a mutation in the *Pax-6* gene (120) 65
- García-Fernández, J.M., see Llamosas, M.M. (120) 1
- Gilad, G.M., see Gilad, V.H. (120) 255
- Gilad, V.H., Rabey, J.M., Eliyayev, Y. and Gilad, G.M.  
Different effects of acute neonatal stressors and long-term postnatal handling on stress-induced changes in behavior and in ornithine decarboxylase activity of adult rats (120) 255
- Goodwin, G.A., see Wiedenmayer, C.P. (120) 191
- Groc, L., Levine, R.A., Foster, J.A., Normile, H.J., Weissmann, D. and Bezin, L.  
Evidence of deprenyl-insensitive apoptosis of nigral dopamine neurons during development (120) 95
- Grouselle, D., see Niquet, J. (120) 49
- Guerra, M., see Niquet, J. (120) 49
- Hayashi, H., see Orikasa, C. (120) 245
- Hayashi, S., see Orikasa, C. (120) 245
- Hongo, S., see Nishinaka, N. (120) 57
- Hovda, D.A., see Moore, A.H. (120) 141
- Huang, P.L., see Wu, H.H. (120) 105
- Huerta, J.J., see Llamosas, M.M. (120) 1
- Jaworski, D.M. and Proctor, M.D.  
Developmental regulation of pituitary adenylate cyclase-activating polypeptide and PAC<sub>1</sub> receptor mRNA expression in the rat central nervous system (120) 27
- Jaynes, C.D. and Turner, J.E.  
Isolation of a retinal pigment epithelial cell-derived fraction which promotes Müller cell proliferation (120) 267
- Johnson, F., Norstrom, E. and Soderstrom, K.  
Increased expression of endogenous biotin, but not BDNF, in telencephalic song regions during zebra finch vocal learning (120) 113
- Joseph-Bravo, P., see Niquet, J. (120) 49
- Juchau, M.R., see Trofimova-Griffin, M.E. (120) 7
- Jungalwala, F.B., see Zhao, Z. (120) 165
- Juraska, J.M., see Nuñez, J.L. (120) 87
- Kawamura, K., see Fukuda, T. (120) 65
- Kawano, H., see Fukuda, T. (120) 65
- Ke, M., see Boylan, C.B. (120) 91
- Kesterson, K.L., see Boylan, C.B. (120) 91
- Kim, J.H.Y., see Nuñez, J.L. (120) 87
- Kivell, B.M., McDonald, F.J. and Miller, J.H.  
Serum-free culture of rat post-natal and fetal brainstem neurons (120) 199
- Kondo, H., see Saito, S. (120) 41
- Lephart, E.D., see Lund, T.D. (120) 261
- Levine, R.A., see Groc, L. (120) 95
- Lindsley, T.A., see Yanni, P.A. (120) 233
- Liu, Q.-Y., Coulombe, M., Dumm, J., Shaffer, K.M., Schaffner, A.E., Barker, J.L., Pancrazio, J.J., Stenger, D.A. and Ma, W.  
Synaptic connectivity in hippocampal neuronal networks cultured on micropatterned surfaces (120) 223
- Llamosas, M.M., Huerta, J.J., Cernuda-Cernuda, R. and García-Fernández, J.M.  
Ontogeny of a photic response in the retina and suprachiasmatic nucleus in the mouse (120) 1
- López-Costa, J.J., see Ríos, H. (120) 17
- Lund, T.D., Salyer, D.L., Fleming, D.E. and Lephart, E.D.  
Pre- or postnatal testosterone and flutamide effects on sexually dimorphic nuclei of the rat hypothalamus (120) 261
- Ma, W., see Liu, Q.-Y. (120) 223
- Manzanares, J., see Pérez-Rosado, A. (120) 77
- McDonald, F.J., see Kivell, B.M. (120) 199
- McEwen, B.S., see Orikasa, C. (120) 245
- Miller, J.H., see Kivell, B.M. (120) 199
- Mize, R.R., see Wu, H.H. (120) 105
- Mooney, R.D., see Boylan, C.B. (120) 91
- Moore, A.H., Hovda, D.A., Cherry, S.R., Villalba, J.P., Pollack, D.B. and Phelps, M.E.  
Dynamic changes in cerebral glucose metabolism in conscious infant monkeys during the first year of life as measured by positron emission tomography (120) 141
- Muller, Y.L., Reitstetter, R. and Yool, A.J.  
Antisense knockdown of calcium-dependent K<sup>+</sup> channels in developing cerebellar Purkinje neurons (120) 135

- Nair, S.M., see Zhao, Z. (120) 165  
 Nakada, N., see Nishinaka, N. (120) 57  
 Nelson, J., see Nuñez, J.L. (120) 87  
 Niquet, J., Pérez-Martínez, L., Guerra, M., Grouselle, D., Joseph-Bravo, P. and Charli, J.-L.  
 Extracellular matrix proteins increase the expression of pro-TRH and pro-protein convertase PC1 in fetal hypothalamic neurons *in vitro* (120) 49  
 Nishinaka, N., Hongo, S., Zhou, C.J., Shioda, S., Takahashi, R., Yamauchi, Y., Ohashi, T., Ohki, T., Nakada, N., Takeda, F. and Takeda, M.  
 Identification of the novel developmentally regulated gene, *Bdm2*, which is highly expressed in fetal rat brain (120) 57  
 Normile, H.J., see Groc, L. (120) 95  
 Norstrom, E., see Johnson, F. (120) 113  
 Nuñez, J.L., Nelson, J., Pych, J.C., Kim, J.H.Y. and Juraska, J.M.  
 Myelination in the splenium of the corpus callosum in adult male and female rats (120) 87  
 Ohashi, T., see Nishinaka, N. (120) 57  
 Ohki, T., see Nishinaka, N. (120) 57  
 Orikasa, C., McEwen, B.S., Hayashi, H., Sakuma, Y. and Hayashi, S.  
 Estrogen receptor alpha, but not beta, is expressed in the interneurons of the hippocampus in prepubertal rats: an *in situ* hybridization study (120) 245  
 Osumi, N., see Fukuda, T. (120) 65  
 Pancrazio, J.J., see Liu, Q.-Y. (120) 223  
 Paquin, J., see Cadet, N. (120) 211  
 Pérez-Martínez, L., see Niquet, J. (120) 49  
 Pérez-Rosado, A., Manzanares, J., Fernández-Ruiz, J. and Ramos, J.A.  
 Prenatal  $\Delta^9$ -tetrahydrocannabinol exposure modifies proenkephalin gene expression in the fetal rat brain: sex-dependent differences (120) 77  
 Phelps, M.E., see Moore, A.H. (120) 141  
 Pollack, D.B., see Moore, A.H. (120) 141  
 Pomata, P.E., Colman-Lerner, A.A., Barañao, J.L. and Fiszman, M.L.  
 In vivo evidences of early neurosteroid synthesis in the developing rat central nervous system and placenta (120) 83  
 Proctor, M.D., see Jaworski, D.M. (120) 27  
 Pych, J.C., see Nuñez, J.L. (120) 87  
 Rabey, J.M., see Gilad, V.H. (120) 255  
 Ramos, J.A., see Pérez-Rosado, A. (120) 77  
 Reitsstetter, R., see Muller, Y.L. (120) 135  
 Rhoades, R.W., see Boylan, C.B. (120) 91  
 Rios, H., López-Costa, J.J., Fosser, N.S., Brusco, A. and Saavedra, J.P.  
 Development of nitric oxide neurons in the chick embryo retina (120) 17  
 Rios, O., see Villalobos, J. (120) 99  
 Rizk, T., see Boylan, C.B. (120) 91  
 Saavedra, J.P., see Ríos, H. (120) 17  
 Saito, S., Sakagami, H. and Kondo, H.  
 Localization of mRNAs for phospholipase D (PLD) type 1 and 2 in the brain of developing and mature rat (120) 41  
 Sakagami, H., see Saito, S. (120) 41  
 Sakuma, Y., see Orikasa, C. (120) 245  
 Salyer, D.L., see Lund, T.D. (120) 261  
 Schaffner, A.E., see Liu, Q.-Y. (120) 223  
 Seidler, F.J., see Zeiders, J.L. (120) 125  
 Shaffer, K.M., see Liu, Q.-Y. (120) 223  
 Shioda, S., see Nishinaka, N. (120) 57  
 Shuman, D.L., see Wu, H.H. (120) 105  
 Slotkin, T.A., see Zeiders, J.L. (120) 125  
 Soderstrom, K., see Johnson, F. (120) 113  
 Stenger, D.A., see Liu, Q.-Y. (120) 223  
 Strohl, K.P., see Thomas, A.J. (120) 181  
 Takahashi, R., see Nishinaka, N. (120) 57  
 Takeda, F., see Nishinaka, N. (120) 57  
 Takeda, M., see Nishinaka, N. (120) 57  
 Thomas, A.J., Erokwu, B.O., Yamamoto, B.K., Ernsberger, P., Bishara, O. and Strohl, K.P.  
 Alterations in respiratory behavior, brain neurochemistry and receptor density induced by pharmacologic suppression of sleep in the neonatal period (120) 181  
 Tobet, S., see Zhao, Z. (120) 165  
 Trofimova-Griffin, M.E., Brzezinski, M.R. and Juchau, M.R.  
 Patterns of CYP26 expression in human prenatal cephalic and hepatic tissues indicate an important role during early brain development (120) 7  
 Turner, J.E., see Jaynes, C.D. (120) 267  
 Villalobos, J., Ríos, O. and Barbosa, M.  
 Postnatal development of the basal forebrain cholinergic projections to the medial prefrontal cortex in mice (120) 99  
 Weissmann, D., see Groc, L. (120) 95  
 Wiedenmayer, C.P., Goodwin, G.A. and Barr, G.A.  
 The effect of periaqueductal gray lesions on responses to age-specific threats in infant rats (120) 191  
 Wu, H.H., Cork, R.J., Huang, P.L., Shuman, D.L. and Mize, R.R.  
 Refinement of the ipsilateral retinocollicular projection is disrupted in double endothelial and neuronal nitric oxide synthase gene knockout mice (120) 105  
 Yamamoto, B.K., see Thomas, A.J. (120) 181  
 Yamauchi, Y., see Nishinaka, N. (120) 57  
 Yanni, P.A. and Lindsley, T.A.  
 Ethanol inhibits development of dendrites and synapses in rat hippocampal pyramidal neuron cultures (120) 233  
 Yool, A.J., see Muller, Y.L. (120) 135  
 Zeiders, J.L., Seidler, F.J. and Slotkin, T.A.  
 Ontogeny of G-protein expression: control by  $\beta$ -adrenoceptors (120) 125  
 Zhao, Z., Chou, D.K.H., Nair, S.M., Tobet, S. and Jungalwala, F.B.  
 Expression of sulfoglucuronyl (HNK-1) carbohydrate and its binding protein (SBP-1) in developing rat cerebellum (120) 165  
 Zhou, C.J., see Nishinaka, N. (120) 57

